

WEB230: JavaScript 1

Module 1A: Values, Types, and Operators

Values

- Any small bit of data
- Each value has a type

JavaScript has 6 types of values:

- numbers
- strings
- booleans
- objects
- functions
- undefined / null

Numbers

- only one kind of number

```
13
9.81
2.998e8
```

Arithmetic Operators

- `+` Addition
- `-` Subtraction
- `*` Multiplication
- `/` Division
- `%` Remainder (Modulus)
- `**` Exponent

Arithmetic

- JS has arithmetic operators

```
100 + 4 * 11
```

Special Numbers

- 3 special values considered numbers
- don't behave like numbers - Don't trust these too much:
 - `Infinity`
 - `-Infinity`
- If the operation results are not meaningful:
 - `NaN` - not a number

Strings

- Represent text
- Zero or more characters stored as a single value

```
"Mary's car is red."
```

```
'The monkey says "goodbye"'
```

```
`Back ticks are called "template literals"`
```

- single or double quotes behave very much the same
 - only difference is in which type of quote you need to escape

Strings Escaping

- some special characters need a backslash
 - newline is `"\n"`, tab is `"\t"`

```
"This is the first line\nAnd this is the second"
```

will result in:

```
This is the first line
And this is the second
```

- if you need to display a special character use `"\"`

```
"A newline character is written like \"\n\"."
```

will result in:

```
A newline character is written like "\n".
```

String Operator

- There is only one:
 - `+` Concatenation - Join two strings together

```
"Patch my boat " + "with chewing gum"
```

will result in:

```
"Patch my boat with chewing gum"
```

Template Literals

- Backtick-quoted strings, called *template literals*, can do more than single or double quoted strings:
 - span lines
 - embed other values

`Strings can
now span
lines`

- an expression inside `${}` will be evaluated, converted to a string, and included at that position

```
let number = 100;  
console.log(`half of ${number} is ${number / 2}`);
```

displays:

half of 100 is 50

Unary Operators

- operate on a single value
- Some operators are words:
 - `typeof` - produces a string naming the type
- Others:
 - `-` negate (number)
 - `+` plus (number)
 - `!` not (boolean)

Boolean Values

- has just two values
- true or false

Comparison

- `>` and `<` result in boolean values

```
5 > 2 // true  
"abc" > "def" // false
```

- `>=` Greater than or equal
- `<=` Less than or equal
- `==` Equal
- `!=` Not Equal

Logical Operators

These work with boolean values

- `&&` AND
- `||` OR
- `!` NOT

Ternary Operator

- takes 3 values

```
true ? 1 : 2 // 1
false ? 1 : 2 // 2
```

Empty Values

- The absence of value
- `null`
- `undefined`
- If something does not produce a meaningful result it will produce `undefined`
- `null` has a slightly different meaning that we will see later

Automatic Type Conversion

- JavaScript will do its best to work with what you give it.
- Sometimes it has to convert from one type to another
- called **type coercion**

```
"one" + 2 // "one2"
"5" * 2 // 10
```

Truthy and Falsy

- If a boolean value is expected
- 0, "", undefined, null, NaN are false
- anything else is true

Precise Compare

- Usually we want to make sure they are the same **type** too!
- `===` precisely equal (value and type)
- `!==` precisely not equal
- It is recommended to use these instead of `==` and `!=`

```
"2" == 2 // true
"2" === 2 // false
```

Short-circuiting of logical operators

- logical operators `&&` and `||`
- The second value is only evaluated if needed

```
true || console.log("Hello")

true && console.log("Hello")
```